

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____
 CEO Signature _____ Date _____
 Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
Mailing Address _____
Physical Address _____
Telephone _____
Email Address _____

Point of Contact

Name _____
Address _____
Telephone # _____
Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.);
- Determine which grid(s) contain trees that will be removed and number each grid;
- Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached)
- Show how many trees remain in each grid from which trees are removed indicating point value of each tree
- Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.)
- Signed Letter of Authorization if the Applicant is not the property owner on record
- Check for \$25 per tree to Town of Acton
- **PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL**

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

Signature of Property Owner(s)

or

Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----
() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Point of Contact

Name _____

Name _____

Mailing Address _____

Address _____

Physical Address _____

Telephone # _____

Telephone _____

Email _____

Email Address _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www.actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____
 CEO Signature _____ Date _____
 Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.);
- Determine which grid(s) contain trees that will be removed and number each grid;
- Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached)
- Show how many trees remain in each grid from which trees are removed indicating point value of each tree
- Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.)
- Signed Letter of Authorization if the Applicant is not the property owner on record
- Check for \$25 per tree to Town of Acton
- **PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL**

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s)

or

 Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----
 () Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____
 CEO Signature _____ Date _____
 Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____
 CEO Signature _____ Date _____
 Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____
 CEO Signature _____ Date _____
 Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> • Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); • Determine which grid(s) contain trees that will be removed and number each grid; • Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> • Show how many trees remain in each grid from which trees are removed indicating point value of each tree • Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) • Signed Letter of Authorization if the Applicant is not the property owner on record • Check for \$25 per tree to Town of Acton • PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____
 CEO Signature _____ Date _____
 Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

-----↑ to be filled in by office ↑-----

TOWN OF ACTON

Office of Code Enforcement: 207-636-3497 x410

Email: ceo@actonmaine.org

SHORELAND ZONE / RESOURCE PROTECTION TREE REMOVAL PERMIT APPLICATION

Owner Information

Name _____
 Mailing Address _____
 Physical Address _____
 Telephone _____
 Email Address _____

Point of Contact

Name _____
 Address _____
 Telephone # _____
 Email _____

TREE REMOVAL PLAN – On a separate page, please include all of the following:

- | | |
|--|--|
| <ul style="list-style-type: none"> Site plan divided into 25' x 25' grids starting from one of the property lines. Show lot dimensions, structures, Septic System, driveway, etc. (Tax Maps on the Town of Acton website – www:actonmaine.org - is a convenient tool.); Determine which grid(s) contain trees that will be removed and number each grid; Identify all trees in each 25' x 25' grid that will be removed, label all trees with the allotted point values (a table showing point values is included in the instructions attached) | <ul style="list-style-type: none"> Show how many trees remain in each grid from which trees are removed indicating point value of each tree Provide photos of all trees to be removed and remaining trees in the immediate area. (Emailed pictures will be printed at \$1 per page.) Signed Letter of Authorization if the Applicant is not the property owner on record Check for \$25 per tree to Town of Acton PLEASE NOTIFY CEO 24 HOURS PRIOR TO ANY TREE REMOVAL |
|--|--|

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
1			
2			
3			

Grid #	Number of Trees to be Removed	*Point Value of Trees to be Removed	*Remaining Points
4			
5			
6			

*See Instructions for Point Rating attached

I hereby certify that all the information on this application is correct:

 Signature of Property Owner(s) **or** Signature of Applicant (if applicant is not the Property Owner, a signed Letter of Authorization Form is required)

-----↓ to be filled in by office ↓-----

() Granted, () Denied: Reason _____

CEO Signature _____ Date _____

Replanting Requirements _____ Replanting Inspection Date _____

CLEARING OR REMOVAL OF VEGETATION FOR ACTIVITIES OTHER THAN TIMBER

HARVESTING IN THE TOWN OF ACTON

Within a Resource Protection District adjacent to a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five feet (75') horizontal distance, inland from the normal high-water line, except to remove safety hazards. Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that District.

Except in areas as described above and except to allow for the development of permitted uses, within a strip of land extending one hundred feet (100'), horizontal distance, inland from the normal high-water line of a great pond or river, and seventy-five feet (75'), horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty square feet (250 sq. ft.) in the forest canopy (or other existing woody vegetation if a forested canopy is not present), as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed, provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed, provided that the applicant submits to the CEO a plan for selective cutting in accordance with this section of the Ordinance, and that a well-distributed stand of trees and other vegetation is maintained. For the purposes of section, a "well-distributed stand of trees and other vegetation" adjacent to a great pond or a river or a stream flowing to a great pond, shall be defined as maintaining a rating score of twelve (12) or more in each twenty-five foot (25') by twenty-five foot (25') square, six hundred twenty-five square feet (625 sq. ft.) area as determined by the following rating system:

<u>Tree at 4 1/2 feet above Ground Level (inches)</u>	<u>Points</u>
2-4 inches	1
4-12 inches	2
12+ inches	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of eight (8) per twenty-five (25) foot square area.

NOTE: For the purposes of section b, "other natural vegetation" is defined as retaining existing vegetation under three feet (3') in height and other ground cover, and retaining at least three (3) saplings less than two inches (2") in diameter at four and one-half feet (4 1/2") above ground level for each twenty five foot (25' by 25') rectangular area. If three (3) saplings do not exist, no woody stems less than two inches (2") in diameter can be removed until three (3) saplings have been recruited into the plot.

Notwithstanding the provisions of this section, no more than forty percent (40%) of the total volume of trees four inches (4") or more in diameter, measured at four and one-half feet (4-1/2') above ground level, may be removed in any ten (10) year period.

- c. To protect water quality and wildlife habitat, existing vegetation under three feet (3') in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Paragraphs 2 and 2a above.
- d. Pruning of tree branches on the bottom one-third (1/3) of the tree is allowed.

- e. To maintain a buffer strip of vegetation when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native trees species unless existing new tree growth is present.

NOTE: This does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

At distances greater than one hundred (100) feet, horizontal distance, from a great pond or river, and seventy-five feet (75'), horizontal distance, from the normal high water line of any other water body, tributary stream, or the upland edge of a wetland, , there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty percent (40%) of the volume of trees four inches (4") or more in diameters, measured four and one-half feet (4-1/2") above the ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty percent (40%) calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, lawns, and sewage disposal areas, exceed in the aggregate, twenty-five percent (25%) of the lot area within the Shoreland District or ten thousand square feet (10,000 sq. ft.), whichever is greater, including land previously cleared.

Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.